
MICROPACK®
Digitally Yours
Accessories
MOUSE KEYBOARD WEBCAM POINTER GAMING
http://www.welltechgroup.co.th

MICROPACK®
Digitally Yours

Accessories

M100



Newest optical technology
Resolution : 1000dpi high resolution
Key switch life more than 5 million times
Interface type : USB 2.0
Dimension (W*H*D): 440*290*480 mm

M101



Interface type : USB
Button : 3D
DPI : 1000dpi resolution
Button life : 5 million times
USB interface, plug & play
Dimension : 90*58*32mm

MP-216



With Rainbow breathing LED light
Interface type: USB
Button: 3D
DPI: 1000dpi resolution
Button life: 5 million times

MP-702W



With newest optical technology
Interface type: 2.4G
Nano USB receiver, plug & play
Transmission distance: up to 10M
Button : 3 (Left key, Right key, scroll)
DPI : 1200dpi resolution
Button life : 3 million times
Lower power consumption
Battery Type : 1xAA battery
Dimension : 108*60*35mm

MP-721W



with newest optical technology
Interface type : 2.4G
Nano USB receiver, plug&play
Transmission distance : 8-10M
Button : 3D
DPI : 1000dpi resolution
Button life : 5 million times
Lower power consumption
Dimension : 107*60*30*mm

MP-716W



With newest optical technology
Interface type: 2.4G
Nano USB receiver, plug & play
Transmission distance: 8-10M
Button: 3D
DPI: 1200dpi resolution
Button life: 5 million times
Lower power consumption
Dimension: 100*57*37mm

MP-771W ST



With silent technology
RF2.4G technology,up to 10M wireless range
Newest optical technology, more precious
1200 DPI high-definition optical tracking
Auto standby,deep sleeping mode to save more power
No drivers needed, plug & play

Dual Wireless MP-746W



Wireless technology : BT5.0,BT 3.0&RF 2.4GHz
Wireless range : Approx 10 meters
Sensor : optical sensor
Resolution : 1200 CPI
Switch : silent switch
Number of buttons : 3
(left key,right key,scroll)
Battery type : 1 AA battery
Receiver : nano receiver
Rating voltage/current : 1.5V/20mA max
5V/30mA max (USB receiver)
Dimension : 106x63x38.5m

WPM-03



RF2.4G wireless technology
Transmission distance up to 20M
With LCD screen showing battery state and speech time
Timer with vibration function
Brilliant red laser pointer
Multmedia function : Page up, page down, volume+/-, full screen&ESC funtion
Low power consumption with 2*AAA batteries
Built-in USB receiver, prevent it from losing

WPM-08 Air



Wireless technology : RF 2.4GHz
Wireless range : approx 30 meters
1) Red laser pointer
2) Multiemdia function page up,page down, play slides,black screen, volume+/-, extra drawing&Hyperlink function
3) Air mouse function
4) Rechargeable battery
5) On/off power switch
Receiver : magnetic receiver,Plug-and-play simplicity
Battery : 300mAh rechargeable battery
Dimension : 120*30*11.05mm

WPM-06



RF2.4G wireless technology
Wireless range : up to 15 meters
Red laser pointer
Multiemdia function page up, page down,full screen,black screen,volume+/-
ab/Enter/Alt+Tab
Power saving function
On/off power switch
Receiver : magnetic receiver, plug-and-play simplicity
Battery : 1xAAA battery

K-203



Classic Standard Keyboard
Low profile keypad, Comfortable quite typing
Keyboard button: 104
Interface type: USB
Cable: 1.5M

KM-2003



Full size Keyboard, Spill resistant design
Clearly letters with UV oil painting
Keyboard button: 104
Interface type: USB
Cable: 1.5M

KM-203W



Keyboard button: 104
Mouse button: 3D
DPI: 1000dpi / Switch on off
Interface type: 2.4G wireless
Transmission distance: 8-10M
Lower power consumption
2 AAA Batteries

KM-232W



Slim design, spill-resistant design
Removable keycaps
Keyboard button: 103
Mouse button: 3D
DPI: 1000dpi
Interface type: 2.4G wireless
Transmission distance: 8-10M
Lower power consumption

MWB-11



Webcam 720p HD resolution 30fps max with video quality 1 milloin pixels
Built-in noise isolating microphone
Manual Fogus
level 3 beauty effect
Universal clip & separate tripod
Plug and Play USB2.0
Cable length 145cm

MWB-15



Resolution : 1080p/30fps max
Video Quality : 2MP
Focus : Manual rotation
Field Of View : 90°
Microphone : Mono
Fill Light : LED lights
Interface : USB-A
Cable Lenth : 150cm
System Requirement : Windows 10/8/7/Vista, Mac OS X 10.6 or later

MICROPACK®
Digitally Yours

Accessories

MHP-01



Speaker size : 30mm
Frequency range : 20-20,000Hz
Speaker impedance : 32 Ohm±15%
Speaker sensitivity : 105dB 3dB
Microphone impedance : 2200 Ohm
Microphone sensitivity : -58dB±2dB
Cable Length : 1.8M 3 Pin 2*3.5MM Jack with 2 to 1 splitter

MHP-02



Speaker size : 40mm
Frequency range : 20-20,000Hz
Speaker impedance : 32 Ohm±15%
Speaker sensitivity : 105dB±3dB
Microphone impedance : 2200 Ohm
Microphone sensitivity : -58dB±2dB
Cable Length : 1.8M USB Cable without controller

GH-01



BACKLIT GAMING HEADSET
Sound: stereo
Frequency response: 20 Hz - 20 KHz
Speaker size: 50 mm
Speaker impedance: 21 Ω± 15%
Microphone type: omnidirectional
Microphone sensitivity: -38 dB ± 3 dB
Backlit: 7 colors
Connectors: 2x 3.5 mm jack, USB (for LED light)
Cable length: 2.2 M

GM-01



RAINBOW GAMING MOUSE
Gaming optical sensor with precise tracking
800-1200-1600 DPI (DPI Switch)
4 Buttons
Breathing Rainbow Light

GM-06



BACKLIT GAMING MOUSE
Sensor : Professional optical sensor
Resolution : 1000-1600-2400-3200 CPI
Numbers of buttons : 6 (left key, right key, scroll, CPI switch, forward, backward)
Interface : USB2.0
Rating voltage/current : 5V/100mA max
Light : Colorful breathing LED
Cable : 1.4M cable with magnetic ring
Dimension : 127x71x42 mm
System requirement : Windows 10/8/7/Vista/XP, Mac OS X 10.4 or later

GM-10



RAINBOW BACKLIT GAMING KEYBOARD
Rainbow backlit
Spill Resistant Structure
19-Anti Ghost Key for Gaming
FN+Multimedia Key and Windows Lock

GC-30



2-IN-1 GAMING COMBO
Gaming design with breathing rainbow light

GAMING MOUSE
Optical sensor with presice tracking
800-1200-1600 (DPI Switch)

GAMING KEYBOARD
Illiminated Key-cap
Spill resistant structure
19-Anti Ghost Key for Gaming

GP-320



GAMING MOUSE PAD
Materia l: High-density cloth material
Base : Rubber
Size : 320*265*3mm

นำเข้า โดย : บริษัท เวลเทคกรุ๊ป จำกัด
ที่อยู่ : 13/27,13/28 บมจ. เวลเทคกรุ๊ป
ถนนประเสริฐมนูกิจ แขวงนวลจันทร์ เขตบึงกุ่ม
กรุงเทพมหานคร 10230

ช่องทางการติดต่อ/สอบถาม

โทร : 02-491-4564
แฟกซ์ : 02-491-4598
E-mail : marcom@welltechgroup.co.th
Line Official Account : @welltechgroup